# THE BEST WAY TO ROLL OUT CONFERENCE ROOMS



# **AVSFSS**

Chief has reinvented conference room installations and brought new speed with the Tempo™ Flat Panel Floor Support System. By using the floor for display support, you no longer require installation-halting wall inspections and remediation. Multiply that time and cost savings across enterprise rollouts and you'll agree this is the best way to roll out conference rooms!





Standard Heather Gray Fabric Detail

\*AVSFSS shown with LTM1U Mount – Sold separately

## **FEATURES**

- Use with select Chief mounts (see Compatible Mount Specs chart)
- Easily installed in sheetrock, wood/steel studs or concrete
- Uprights can move independently along wall to avoid obstructions
- Cable management within uprights and behind the covers
- Lower cover aesthetic insert can be customized to match interior design finishes.
- AVA1103 component storage panel comes standard
- Additional storage or rack storage accessories available
- Mount sold separately. Works with AVA1101, AVA1104, LTM1U, MTM1U, LSM1U, MSM1U, RXF2, RLF2 and RMF2







# **SPECIFICATIONS**

Weight Capacity:

200 lbs (90.7 ka

**Display Center to Floor Range with:** 

Select Fusion® Wall Mounts:

51.6-65.6" (1310-1651 mm)

**Select FIT™ Wall Mounts:** 

54.4-68.4" (1381-1737 mm)

**Lateral Upright Spacing:** 

16-24" (406-609 mm

**Max Equipment Size for Storage Panel:** 

13.4 x 10.7" (340 x 272 mm)


**Minimum Depth Added to Mount and Display:** 


0.84" (22 mm)

**Aesthetic Insert Dimensions:** 

24-25" H x 36-37" W x 0.156-0.75" [

W x 4-19 mm D)





# SYSTEM & ACCESSORIES

Model	Description	Weight Capacity (per display)	Typical Display Sizes	
<u>AVSFSS</u>	Flat Panel Floor Support System	200 lbs (90.7 kg)	46-100" (117-254 cm)	
AVA1101	Dual-Display Accessory	100 lbs (45.3 kg)	46-60" (117-152cm)	
AVA1102	2 Rack-Unit Accessory	30 lbs (13.6 kg)	NA	
<u>AVA1103</u>	Flat Panel Floor Support System Component Storage Panel	20 lbs (9.07 kg)	NA	
<u>AVA1104</u>	Tempo Extra-Large Dual-Display Accessory	100 lbs (45.3 kg)	Up to 80" per display (203 cm)	

# For more details on the AVA1101 Dual Display Accessory, watch our Spotlight Video

# **COMPATIBLE MOUNT SPECS**

Fusion®/ Fit™	Mount	Min. Depth	Mounting Pattern	Tilt	Weight Capacity	Typical Screen Sizes*
Fusion®	<u>LTM1U</u>	2" (51 mm)	100 x 100 – 878 x 500 mm	+2°, -12°	200 lbs (90.7 kg)	42-86"
Fusion®	MTM1U	2" (51 mm)	100 x 100 – 650 x 400 mm	+2°, -12°	125 lbs (56.7 kg)	32-65"
Fusion®	LSM1U	2" (51 mm)	100 x 100 – 871 x 500 mm	0	200 lbs (90.7 kg)	42-86"
Fusion®	MSM1U	2" (51 mm)	100 x 100 – 642 x 400 mm	0	125 lbs (56.7 kg)	32-65"
Fit™	RXF2	0.8" (20 mm)	200 x 100 - 855 x 500 mm	0	175 lbs (79.4 kg)	55-100"
Fit™	RLF2	0.8" (20 mm)	100 x 100 - 670 x 400 mm	0	125 lbs (56.7 kg)	42-86"
Fit™	RMF2	0.8" (20 mm)	100 x 100 – 445 x 400 mm	0	125 lbs (56.7 kg)	32-65"

10.7"

(272 mm)



# **ACCESSORIES**

# **AVSFSS COMPATIBLE ACCESSORIES**

Fusion™ Accessories (MSM1U, LSM1U, LTM1U and MTM1U)							
	Camera Shelves			CPU Accessories	Misc.	Speaker Adapters	Security
	FCA800	FCA810HS	FCA800K	CSMP9X12	AVA1102	FCA830	PAC138
A	FCA800HS	FCA810V	FCA810K	<u>FCA112</u>	AVA1103	FCA831	
Accessory Type	FCA800V	FCA811	FCA800E		<u>AVA1104</u>	FCA832	
	FCA801	FCA812	FCA810E		FCAC06B	FCA840	
	FCA803	FCA813				FCA841	
	FCA810	FCA850				FCA842	

# **AVA1101 COMPATIBLE ACCESSORIES**

Fusion™ Accessories (MSM1U, LSM1U, LTM1U and MTM1U)							
		Camera Shelves*		CPU Accessories	Misc.	Speaker Adapters*	
	FCA800V	FCA811	FCA800K	CSMP9X12	FCAC06B	FCA830	
Accessory	FCA801	FCA812	FCA810K			FCA832	
Type	FCA803	FCA813	FCA800E			FCA840	
	FCA810	FCA820	FCA810E			FCA842	
	FCA810HS	FCA821					
	FCA810V						


<sup>\*</sup>Display width and/or height dependent


# **AVA1104 COMPATIBLE ACCESSORIES**

Fusion™ Accessories (XSM1U, XTM1U)							
		Camera Shelves*	CPU Accessories	Speaker Adapters*			
A	FCA800	FCA810	FCA800K	CSMP9X12	FCA840		
Accessory Type	FCA800HS	FCA810HS	FCA810K	CSSMP15X10	FCA841		
	FCA801	FCA811	FCA800E				
	FCA803	FCA812	FCA810E				

<sup>\*</sup>Display width and/or height dependent

FIT Mount Accessories (RXF2, RLF2, RMF2)				
Accessory Type	CPU Accessories	Security		
	CSMP9X12	PACKLK1		







# **AESTHETIC COVER REPLACEMENT**

The fabric insert on the bottom panel is simple for you to customize to match your existing décor, creating an aesthetic solution for any environment. Simply remove the standard heather gray material and replace with any fabric or laminate (see replacement instructions below). Need Chief to customize the bottom panel for large-scale installations of Tempo™? Contact us to learn how we can help: av.chief.support@legrand.com.

### **Steps to replace cover:**

- 1. Remove eight Phillips screws holding aesthetic cover inside base cover and spanning bracket.
- **2.** Remove aesthetic cover from base cover by sliding it first to one side and then out.
- **3.** Replace with alternative cover (not included) and secure with removed screws.



LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

INSTALLER INSPIRED | legrandav.com

USA 866.977.3901 av.chief.support@legrand.com CANADA 877.345.4329 av.chief.canada@legrand.com EMEA +31 495 580 840 av.emea.sales@legrand.com APAC +852 2145 4099 av.asia.sales@legrand.com

©2022 Legrand AV Inc. 200032 Rev D 3/22 Chief is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.