

Fusion® Series

CEILING MOUNT SOLUTIONS



CEILING MOUNT SOLUTIONS

Single & Back-to-Back Mounts

Chief's Fusion Series ceiling mounts provide a fresh solution for showcasing displays in prominent locations.

| Model | Recommended Screen Sizes | Configuration | Weight Capacity (per screen) | Mounting Pattern (WxH) |
|---------|--------------------------|---|------------------------------|-----------------------------|
| MCM1U | 32 - 65" |  | 125 lbs (56.7 kg) | 200 x 100 mm - 460 x 400 mm |
| MCB1U | 26 - 50" |  | 125 lbs (56.7 kg) | 200 x 100 mm - 460 x 400 mm |
| LCM1U | 42-75" |  | 125 lbs (56.7 kg) | 200 x 100 mm - 616 x 400 mm |
| LCB1U | 32 - 60" |  | 125 lbs (56.7 kg) | 200 x 100 mm - 616 x 400 mm |
| LCM1UP | 32 - 60" |  | 125 lbs (56.7 kg) | 200 x 100 mm - 800 x 460 mm |
| LCB1UP | 32 - 60" |  | 125 lbs (56.7 kg) | 200 x 100 mm - 800 x 460 mm |
| XCM1U | 55-100" |  | 250 lbs (113.4 kg) | 200 x 100 mm - 800 x 400 mm |
| XCB1U | 60 - 90" |  | 200 lbs (90.7 kg) | 200 x 100 - 800 x 400 mm |
| XCM7000 | 60 - 90" |  | 300 lbs (136 kg) | 200 x 100 mm - 800 x 400 mm |
| XCB7000 | 60 - 90" |  | 300 lbs (136 kg) | 200 x 100 mm - 800 x 400 mm |


Note: extension column and plate sold separately



LCM1US
Single Ceiling Mount



XCM7000
Heavy-Duty Ceiling Mount



LCB1U
Back-to-Back Ceiling Mount

Standard Features


- Centris® Technology provides a continuous range of fingertip tilt from +5 to -20 degrees (except 7000 models)
- Set locking points eliminate guess work when adjusting multiple screens
 - 7000 models lock at 7.5, 5, 0, -5, -10, -15 and -20 degrees
 - All other models lock at 0, -5, -10 and -15 degrees
- Simple on/off column connection for ease of installation and service
- Tool-free screen engagement to secure displays with optional padlock security
- Compatible with 1½" NPT and Chief pin-connection CPA ceiling plates and columns
- Available in black finish; LCM1U, LCM1UP and MCM1U also available in silver finish
- Stacking capability with CPA columns provides multiple configuration options



CEILING MOUNT SOLUTIONS


Stacked Mounts

Fusion Series ceiling mounts can also be stacked on a single column for multiple display applications.


| Model | Recommended Screen Sizes | Configuration | Weight Capacity (per screen) | Mounting Pattern (WxH) |
|---------|--------------------------|--|------------------------------|-----------------------------|
| MCM1x2U | 26 - 50" |  | 125 lbs (56.7 kg) | 200 x 100 mm - 460 x 400 mm |
| MCB1x2U | 26 - 50" |  | 100 lbs (45.4 kg) | 200 x 100 mm - 460 x 400 mm |
| LCM1x2U | 32 - 60" |  | 125 lbs (56.7 kg) | 200 x 100 mm - 616 x 400 mm |
| LCB1x2U | 32 - 60" |  | 100 lbs (45.4 kg) | 200 x 100 mm - 616 x 400 mm |



Note: extension column and plate sold separately



MCB1x2U
1 x 2 Back-to-Back
Stacked Ceiling Mount



LCM1x2U
1 x 2 Stacked Ceiling Mount



Standard Features

- Centris® Technology to provide a continuous range of fingertip tilt from +5 to -20 degrees
- Four set locking points at 0, 5, 10 and 15 degrees eliminate guess work when adjusting multiple screens
- Simple on/off column connection for ease of installation and service
- Tool-free screen engagement to secure displays with optional padlock security
- Compatible with 1½" NPT and Chief pin-connection CPA ceiling plates and columns
- Available in black finish; LCM1U, LCM1UP and MCM1U also available in silver finish




CEILING MOUNT SOLUTIONS

Multi-Directional Mounts


Get 360° of viewing capability with Fusion Series triple- and quad-mount systems. Both safely support multiple displays from a single column drop while maintaining the installer-friendly features of the single screen Fusion mounts.

| Model | Recommended Screen Sizes | Configuration | Weight Capacity (per screen) | Mounting Pattern (WxH) |
|-------|--------------------------|---|------------------------------|-----------------------------|
| LCM3U | 32 - 65" |  | 125 lbs (56.7 kg) | 200 x 200 mm - 600 X 400 mm |
| LCM4U | 32 - 65" |  | 85 lbs (38.5 kg) | 200 x 200 mm - 600 X 400 mm |

Note: extension column and plate sold separately



LCM3U
Triple Mount System



LCM4U
Quad Mount System

Standard Features

- Centris® technology provides a continuous range of fingertip tilt from +5 to -20 degrees with four set locking points to eliminate guesswork when adjusting multiple screens
- Compatible with traditional 1½" NPT and Chief pin-connection CPA ceiling places and column systems
- Compatible with most displays up to 65"
- Tool-free screen engagement to secure displays with optional padlock security
- Ceiling plate and extension column are required and must be ordered separately



Accessories

The FCA3U and FCA4U accessories provide the same radial functionality without Fusion LCM1U mounts, allowing for integration of different mount heads like the MCM1U, RLC1, RMC1 and JHS mounts (sold separately).



FCA3U
Triple Ceiling Mount Adapter




FCA4U
Quad Ceiling Mount Adapter

CEILING MOUNT SOLUTIONS

Menu Board Mounts

Create dynamic digital menu board solutions with Chief's Fusion Series. Fusionmenu boards provide unbeatable installation features to save time and money.

| Model | Recommended Screen Sizes* | Configuration | Weight Capacity (per screen) | Mounting Pattern (WxH) | Tilt |
|----------|---------------------------|---|------------------------------|--------------------------|------------|
| LCM2x1U | 40 - 55" |  | 125 lbs (56.7 kg) | any width x 100 - 400 mm | +5° / -20° |
| LCB2x1U | 40 - 55" |  | 100 lbs (45.3 kg) | any width x 100 - 400 mm | +5° / -20° |
| LCM2x1UP | 40 - 55" |  | 125 lbs (56.7 kg) | any width x 100 - 800 mm | +5° / -20° |
| LCB2x1UP | 40 - 55" |  | 100 lbs (45.3 kg) | any width x 100 - 800 mm | +5° / -20° |
| LCM3x1U | 40 - 50" |  | 125 lbs (56.7 kg) | any width x 100 - 400 mm | +5° / -20° |
| LCB3x1U | 40 - 50" |  | 125 lbs (56.7 kg) | any width x 100 - 400 mm | +5° / -20° |
| LCM3x1UP | 40 - 50" |  | 125 lbs (56.7 kg) | any width x 100 - 800 mm | +5° / -20° |
| LCB3x1UP | 40 - 50" |  | 125 lbs (56.7 kg) | any width x 100 - 800 mm | +5° / -20° |



Note: extension column and plate sold separately


* Accommodate larger screen sizes by adding FCAX Extension Bracket Accessories




FCAB3x1U

Optional Accessory


FCAB3x1U and FCAB3x1UP accessories available to convert single-sided 3x1 mounts into back-to-back solutions.




LCM3x1UP
3 x 1 Portrait, Single Sided



LCM2x1U
2 x 1 Landscape, Single Sided



LCB3x1U
3 x 1 Landscape, Back-to-Back



LCB2x1U
2 x 1 Landscape, Back-to-Back

Menu Board Features

- Centris® Tilt so screens stay where you place them for effortless multi-screen alignment, with locking points at 0, 10, and 20 degrees
- Infinite Lateral Shift for tight screen positioning
- ControlZone™ micro-leveling and height adjustments up to 2" (51 mm)
- Tool-free screen engagement to secure displays with optional padlock security
- Compatible with traditional 1½" NPT and Chief pin-connection CPA ceiling plates and columns
- Landscape or portrait configurations available



DON'T SEE WHAT YOU NEED?

Build it with Fusion Modular Series and our new multi-display configurator.




With these tools you can now specify your exact installation requirements and we'll provide the list of components needed to safely build your most creative applications.

Learn more at legrandav.com/FusionModular

CEILING MOUNT SOLUTIONS

Video Wall Mounts


Chief's Fusion Series multi-display ceiling mounts are loaded with installer-friendly features for quick screen alignment to provide an easy solution for video wall displays. These ceiling mounts are available in several configurations to hold arrangements up to three displays high; use multiple mounts to create limitless length.

| Model | Recommended Screen Sizes* | Configuration | Weight Capacity (per screen) | Mounting Pattern (WxH) | Plumb Adjust |
|----------|---------------------------|---|------------------------------|--------------------------|---------------------|
| LCM2X2U | 40 - 55" |  | 125 lbs (56.7 kg) | any width x 100 - 400 mm | up to 0.75" (19 mm) |
| LCM2X2UP | 40 - 55" |  | 125 lbs (56.7 kg) | any width x 100 - 800 mm | up to 0.75" (19 mm) |
| LCM3X2U | 40 - 50" |  | 125 lbs (56.7 kg) | any width x 100 - 400 mm | up to 0.75" (19 mm) |
| LCM3X2UP | 40 - 50" |  | 125 lbs (56.7 kg) | any width x 100 - 800 mm | up to 0.75" (19 mm) |
| LCM3X3U | 40 - 50" |  | 85 lbs (38.5 kg) | any width x 100 - 400 mm | up to 0.75" (19 mm) |




Note: extension column and plate sold separately

** Accommodate larger screen sizes by adding FCAX Extension Bracket Accessories*




LCM2X2U
2 x 2 Video Wall Solution



LCM3X2U
3 x 2 Video Wall Solution



LCM3X2UP
3 x 2 Portrait, Video Wall Solution



LCM3X3U
3 x 3 Video Wall Solution

Video Wall Features

- Independent knobs for micro-height and plumb adjustment to easily align displays without tools
- ControlZone™ Leveling allows 2" (51 mm) of height adjustment at each mounting box, plus 1" (25 mm) increments along column
- Infinite vertical and lateral adjustments allow for tight display rows and columns
- Adjustable offset piece aligns the weight with the columns to prevent unwanted ceiling stress and screen tilting caused by gravity
- Compatible with traditional 1/2" NPT and Chief pin-connection CPA ceiling plates and columns
- Combine with FCACLIPS Cable Quick Ties for a clean, seamless installation



Accessories

All of the new Fusion ceiling mounts can be customized with a host of available accessories that work across the ceiling, freestanding and bolt-down product lines. Customize each project to meet your needs with shelves, speaker adapters, CPU holders, storage, power management and more. Save on inventory space by stocking one accessory that works with multiple products.



FCA800/801*
Above/Below Shelves
for Large Displays



FCA810/811*
Above/Below Shelves
for XL Displays



FCA520
Universal Clamp Kit



FCA510/515
Small or Medium
Storage Accessory, PC



FCACLIPS
Cable Quick
Ties (Qty 10)



FCA830/840*
Center Channel
Speaker Adapters



FCA831/841*
Side Speaker Adapters



FCAX
Larger Display
Extension Bracket



CEILING PLATES
1 1/2" NPT



CMS EXTENSION COLUMNS
1 1/2" NPT SpeedConnect
Fixed & Adjustable Columns



CPA264
NPT to CPA
Connection Adapter



CPA CEILING PLATES
Pin Connection
Ceiling Plates



CPA COLUMNS
Pin Connection
Extension Columns



CPA262
CPA to NPT
Connection Adapter



CPA263
CPA Column Coupler

**Works across Fusion fixed and tilt wall, freestanding and ceiling mounts.*

CHIEF®

A brand of **legrand**

LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

INSTALLER INSPIRED | legrandav.com

USA 866.977.3901 av.chief.support@legrand.com CANADA 877.345.4329 av.chief.canada@legrand.com

EMEA +31 495 580 840 av.emea.sales@legrand.com APAC +852 2145 4099 av.asia.sales@legrand.com

©2021 Legrand AV Inc. 210334 Rev A 5/21 Chief is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.