

DEPARTURE	CARRIER - FLIGHT - PARTNER	GATE	TIME	STATUS
Dallas #1	AA 1783	B71	4:30P	On Time
Dallas #1	QF 4584	B71	4:30P	On Time
Dallas #1	UA 7821 US 7819	A320	4:50P	On Time
Dayton	UA 7889 QR 5649	C28	5:30P	On Time
Daytona Beach	DL 1448	B76	4:56P	On Time
Denver	UA 917 US 8257	C23	2:40P	On Time
Denver	UA 983 US 8259	C19	4:22P	On Time
Denver	UA 837 LH 9658	C4	5:28P	On Time
Denver	WN 2883	B58	5:40P	On Time
Detroit	NW 3721	B72	4:45P	On Time
Detroit	UA 7348 US 7808	A3	5:59P	On Time
Frankfurt	UA 918 LH 9051	D3	5:28P	On Time
Frankfurt	LH 418 UA 8832	B48	5:50P	On Time
Frankfurt	LH 418 UA 8832	B51	5:50P	On Time
FL/Lauderdale	B6 308	B82	3:15P	On Time
Geneva	UA 874 LX 3283	C8	5:41P	On Time
Greensboro	UA 7842 BD 4638	A4	4:48P	On Time
Greenville	UA 7854 BD 4638	C28	5:28P	On Time
Harrisburg PA	UA 7852 US 7482	C28	5:28P	On Time
Hartford-BDL	UA 312 US 8191	D21	5:22P	On Time
Houston	CO 3011	B35	2:35P	On Time
Houston	UA 985 US 8191	C8	5:22P	On Time
Huntsville AL	UA 7343 BD 4642	A4	4:50P	On Time
Indianapolis	UA 7217 US 7150	A2	4:40P	On Time
Jacksonville	UA 7422 NH 7558	A2	12:10P	Now 3:10P
Jacksonville	UA 7451 BD 4238	C28	4:40P	On Time
Johannesburg	SA 208 UA 9818	B14	5:40P	On Time
Johannesburg	UA 8837	A5	5:32P	On Time
Johannesburg, PA	UA 7411 US 7982	A1	3:30P	On Time
Kansas City	UA 7883 US 7408	A6	4:50P	On Time
Knoxville	WN 3074	B58	4:15P	On Time
Las Vegas	UA 777 LH 8358	D11	5:15P	On Time
Las Vegas	UA 918 CO 8950	C1	5:48P	On Time
London-LHR	BA 216	B44	8:15P	On Time
London-LHR	UA 209 US 8583	C19	2:41P	On Time
Los Angeles	UA 887 HZ 8028	D4	4:48P	On Time
Los Angeles	VX 687	B75	4:50P	On Time

TUESDAY NOVEMBER 17, 2009 1:53P

DEPARTURE	CARRIER - FLIGHT - PARTNER	GATE	TIME	STATUS
Dallas #1	AA 1783	B71	4:30P	On Time
Dallas #1	QF 4584	B71	4:30P	On Time
Dallas #1	UA 7821 US 7819	A320	4:50P	On Time
Dayton	UA 7889 QR 5649	C28	5:30P	On Time
Daytona Beach	DL 1448	B76	4:56P	On Time
Denver	UA 917 US 8257	C23	2:40P	On Time
Denver	UA 983 US 8259	C19	4:22P	On Time
Denver	UA 837 LH 9658	C4	5:28P	On Time
Denver	WN 2883	B58	5:40P	On Time
Detroit	NW 3721	B72	4:45P	On Time
Detroit	UA 7348 US 7808	A3	5:59P	On Time
Frankfurt	UA 918 LH 9051	D3	5:28P	On Time
Frankfurt	LH 418 UA 8832	B48	5:50P	On Time
Frankfurt	LH 418 UA 8832	B51	5:50P	On Time
FL/Lauderdale	B6 308	B82	3:15P	Delayed
Geneva	UA 874 LX 3283	C8	5:41P	On Time
Greensboro	UA 7842 BD 4638	A4	4:48P	On Time
Greenville	UA 7854 BD 4638	C28	5:28P	On Time
Harrisburg PA	UA 7852 US 7482	C28	5:28P	On Time
Hartford-BDL	UA 312 US 8191	D21	5:22P	On Time
Houston	CO 3011	B35	2:35P	On Time
Houston	UA 985 US 8191	C8	5:22P	On Time
Huntsville AL	UA 7343 BD 4642	A4	4:50P	On Time
Indianapolis	UA 7217 US 7150	A2	4:40P	On Time
Jacksonville	UA 7422 NH 7558	A2	12:10P	On Time
Jacksonville	UA 7451 BD 4238	C28	4:40P	On Time
Johannesburg	SA 208 UA 9818	B14	5:40P	On Time
Johannesburg, PA	UA 8837	A5	5:32P	On Time
Kansas City	UA 7411 US 7982	A1	3:30P	On Time
Knoxville	UA 7883 US 7408	A6	4:50P	On Time
Las Vegas	WN 3074	B58	4:15P	On Time
Las Vegas	UA 777 LH 8358	D11	5:15P	On Time
London-LHR	UA 918 CO 8950	C1	5:48P	On Time
London-LHR	BA 216	B44	8:15P	On Time
London-LHR	UA 209 US 8583	C19	2:41P	On Time
Los Angeles	UA 887 HZ 8028	D4	4:48P	On Time
Los Angeles	VX 687	B75	4:50P	On Time

TUESDAY NOVEMBER 17, 2009 1:53P

DEPARTURE	CARRIER - FLIGHT - PARTNER	GATE	TIME	STATUS
Dallas #1	AA 1783	B71	4:30P	On Time
Dallas #1	QF 4584	B71	4:30P	On Time
Dallas #1	UA 7821 US 7819	A320	4:50P	On Time
Dayton	UA 7889 QR 5649	C28	5:30P	On Time
Daytona Beach	DL 1448	B76	4:56P	On Time
Denver	UA 917 US 8257	C23	2:40P	On Time
Denver	UA 983 US 8258	C18	4:22P	On Time
Denver	UA 837 LH 9658	C4	5:28P	On Time
Denver	WN 2883	B58	5:40P	On Time
Detroit	NW 3721	B72	4:45P	On Time
Detroit	UA 7348 US 7808	A3	5:59P	On Time
Frankfurt	UA 918 LH 9051	D3	5:28P	On Time
Frankfurt	LH 418 UA 8832	B48	5:50P	On Time
Frankfurt	LH 418 UA 8832	B51	5:50P	On Time
FL/Lauderdale	B6 308	B82	3:15P	Delayed
Geneva	UA 874 LX 3283	C8	5:41P	On Time
Greensboro	UA 7842 BD 4638	A4	4:48P	On Time
Greenville	UA 7854 BD 4638	C28	5:28P	On Time
Harrisburg PA	UA 7852 US 7482	C28	5:28P	On Time
Hartford-BDL	UA 312 US 8191	D21	5:22P	On Time
Houston	CO 3011	B35	2:35P	On Time
Houston	UA 985 US 8191	C8	5:22P	On Time
Huntsville AL	UA 7343 BD 4642	A4	4:50P	On Time
Indianapolis	UA 7217 US 7150	A2	4:40P	On Time
Jacksonville	UA 7422 NH 7558	A2	12:10P	Now 3:10P
Jacksonville	UA 7451 BD 4238	C28	4:40P	On Time
Johannesburg	SA 208 UA 9818	B14	5:40P	On Time
Johannesburg, PA	UA 8837	A5	5:32P	On Time
Kansas City	UA 7411 US 7982	A1	3:30P	On Time
Knoxville	UA 7883 US 7408	A6	4:50P	On Time
Las Vegas	WN 3074	B58	4:15P	On Time
Las Vegas	UA 777 LH 8358	D11	5:15P	On Time
London-LHR	UA 918 CO 8950	C1	5:48P	On Time
London-LHR	BA 216	B44	8:15P	On Time
London-LHR	UA 209 US 8583	C19	2:41P	On Time
Los Angeles	UA 887 HZ 8028	D4	4:48P	On Time
Los Angeles	VX 687	B75	4:50P	On Time

TUESDAY NOVEMBER 17, 2009 1:53P

FLOOR & ON-WALL MOUNTED KIOSK SOLUTIONS

IMPACT™ SERIES



IMPACT SERIES™

Chief is answering your need to house digital content for wayfinding, advertising and self-service applications. Our kiosk designs are easily serviceable, flexible and attractive. Impact™ Floor Mounted and On-Wall Kiosks are available now.


Impact™ Kiosks enhance interactive installations like:

- Ordering stations within quick-service restaurants
- Digital signage options replacing traditional static wayfinding and advertising
- E-commerce in brick and mortar stores, allowing customers to browse and order products not found on-shelf
- Municipal and government applications for advertising, wayfinding, surveillance, charging and security




FLOOR MOUNTED KIOSKS

The Chief Impact™ Floor Mounted Portrait Kiosks provide an aesthetic solution for enclosing displays in open areas. Designed with no exposed fasteners while maintaining full access and serviceability. Our exclusive design keeps the display mounted to the frame when opened. Keyed locking security keeps displays safe, and a universal AV Storage plate holds supporting equipment.





IMPACT SERIES™



FAN KNOCKOUTS

2RU KNOCKOUTS

AC POWER KNOCKOUT (120V AC)




SERVICABILITY



KEYED LOCKING



CABLE PATHWAYS



UNIVERSAL DESIGN

- Unparalleled front service and maintenance access
- Aesthetically pleasing with no exposed fasteners
- Keyed locking security
- Tool free removable storage panels
- Universal AV storage space
- Internal knockouts for electrical junction boxes and 2RU rack spaces
- External cable pathway knockouts
- Integrated passive cooling
- Available in black and white
- UL Listed
- Custom colors, logos and protective glass can be special ordered

FREESTANDING BASE OPTIONS

Freestanding base accessories preserve floor finishes, and accommodate movement of kiosks in temporary installations. Bases are offered in single-sided and back-to-back configurations. Tested and approved to UL 2442 ensuring safety for interactive use and servicing—see Accessories page for more details.



IMPACT SERIES™

FLOOR MOUNTED KIOSKS DIMENSIONS & COMPATIBILITY



SINGLE SIDED

Model	Color	Weight Capacity	Mounting Patterns	Max Display Depth	Max TV Width	Max TV Height	Image Diagonal (A)	Overall Width (B)	Overall Height (C)	Overall Depth (D)	Side Bezels (E)	Top Bezels (F)
LF40UBP	Black	100 lbs. (45.3 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.5" (88.9mm)	43" (1092.2 mm)	26" (660.4 mm)	40"	31.28" (794.5 mm)	73.76" (1873.5 mm)	8.5" (216 mm)	5.84" (148.3 mm)	7.2" (182.8 mm)
LF40UWP	White						42"				5.44" (138.1 mm)	5.95" (151.1 mm)
LF42UBP	Black						43"				5.19" (131.8 mm)	5.75" (146 mm)
LF42UWP	White						46"				4.39" (111.5 mm)	4.2" (106.6 mm)
LF43UBP	Black						47"				4.14" (105.1 mm)	3.8" (96.5 mm)
LF43UWP	White						48"				3.89" (98.8 mm)	3.5" (88.9 mm)
LF46UBP	Black						49"				5.73" (164.5 mm)	6.48" (164.5 mm)
LF46UWP	White						50"				5.48" (139.1 mm)	6.08" (154.3 mm)
LF47UBP	Black						55"				4.23" (107.3 mm)	3.83" (97.2 mm)
LF47UWP	White											
LF48UBP	Black	125 lbs. (56.7 kg)	300 x 300 mm 400 x 400 mm 600 x 400mm	3.5" (88.9mm)	51" (1295.4 mm)	30" (762.0 mm)	49"	35.25" (895.4 mm)	77.13" (1959.2 mm)	8.5" (216 mm)	5.73" (164.5 mm)	6.48" (164.5 mm)
LF49UBP	Black						50"				5.48" (139.1 mm)	6.08" (154.3 mm)
LF49UWP	White						55"				4.23" (107.3 mm)	3.83" (97.2 mm)
LF50UBP	Black											
LF50UWP	White											
LF55UBP	Black											
LF55UWP	White											

BACK TO BACK

Model	Color	Weight Capacity	Mounting Patterns	Max Display Depth	Max TV Width	Max TV Height	Image Diagonal (A)	Overall Width (B)	Overall Height (C)	Viewing Area Width (D)	Side Bezels (E)	Top Bezels (F)
LF40UBP-B2B	Black	100 lbs. (45.3 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.5" (88.9mm)	43" (1092.2 mm)	26" (660.4 mm)	40"	31.28" (794.5 mm)	73.76" (1873.5 mm)	8.5" (216 mm)	5.84" (148.3 mm)	7.2" (182.8 mm)
LF40UWP-B2B	White						42"				5.44" (138.1 mm)	5.95" (151.1 mm)
LF42UBP-B2B	Black						43"				5.19" (131.8 mm)	5.75" (146 mm)
LF42UWP-B2B	White						46"				4.39" (111.5 mm)	4.2" (106.6 mm)
LF43UBP-B2B	Black						47"				4.14" (105.1 mm)	3.8" (96.5 mm)
LF43UWP-B2B	White						48"				3.89" (98.8 mm)	3.5" (88.9 mm)
LF46UBP-B2B	Black						49"				5.73" (164.5 mm)	6.48" (164.5 mm)
LF46UWP-B2B	White						50"				5.48" (139.1 mm)	6.08" (154.3 mm)
LF47UBP-B2B	Black						55"				4.23" (107.3 mm)	3.83" (97.2 mm)
LF47UWP-B2B	White											
LF48UBP-B2B	Black	125 lbs. (56.7 kg)	300 x 300 mm 400 x 400 mm 600 x 400mm	3.5" (88.9mm)	51" (1295.4 mm)	30" (762.0 mm)	49"	35.25" (895.4 mm)	77.13" (1959.2 mm)	8.5" (216 mm)	5.73" (164.5 mm)	6.48" (164.5 mm)
LF49UBP-B2B	Black						50"				5.48" (139.1 mm)	6.08" (154.3 mm)
LF49UWP-B2B	White						55"				4.23" (107.3 mm)	3.83" (97.2 mm)
LF50UBP-B2B	Black											
LF50UWP-B2B	White											
LF55UBP-B2B	Black											
LF55UWP-B2B	White											

Note: Add "G" to end of SKUs for bonded 5/32" (4 mm) tempered glass providing protection for your LCD display.



AV STORAGE CAPACITIES

Image diagonals 40" - 48"
(H x W x D) 20" x 28.1" x 5.84"
(508 mm x 715 mm x 148 mm)


Image diagonals 49" - 55"
(H x W x D) 16.7" x 32.1" x 5.84"
(423 mm x 814 mm x 148 mm)

IMPACT SERIES™

ON-WALL KIOSKS

The Impact™ On-Wall Kiosk brings a sleek aesthetic to complement a variety of environments. A depth-adjustable exterior frame allows for a variety of displays to be used. Reversible hinges help avoid installation and service obstructions, and the exclusive design keeps the display mounted to the frame when opened, providing unparalleled service and maintenance access.

Chief's newest Landscape On-Wall Kiosk includes a scissor-arm extension providing unparalleled service and maintenance access by extending the display up to 8" (203 mm) from the wall. A large interior area accommodates Chief PAC in-wall boxes and other storage components for clean, aesthetic cable management and organization.



**DEPTH
ADJUSTMENT**

KIOSK LATCH

LEVER LOCK™

**VENTILATION
LOUVERS**



FEATURES

- Depth-adjustable exterior frame
- Unparalleled service and maintenance access
- Integrated passive cooling vents with active thermal management options
- Designed to compensate for uneven walls, keeping front of frame flat
- Tamperproof security hardware protects technology investments
- Tool-free on-wall storage with Middle Atlantic's Lever Lock™ technology
- Optimize storage using Chief's PAC Series In-Wall Storage Boxes
- Available in black and white
- Custom colors, logos and protective glass can be special ordered
- UL Listed

IMPACT SERIES™





ON-WALL KIOSKS DIMENSIONS & COMPATIBILITY

PORTRAIT ON-WALL KIOSKS *175 lbs. for wood stud, plywood backed steel stud, block & concrete. 125 lbs. in steel stud. Note: Add "G" to end of SKUs for bonded 5/32" (4 mm) tempered glass providing protection for your LCD display. [WATCH THE VIDEO](#)

Model	Color	Weight Capacity	Mounting Patterns	Max Display Depth	Max TV Width	Max TV Height	Image Diagonal (A)	Overall Width (B)	Overall Height (C)	Overall Depth (D)	Side Bezels (E)	Top/Bottom Bezels (F)					
LW40UBP	Black	100 lbs. (45.3 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.75" (95.3 mm)	38.2" (970.3 mm)	23.4" (594.4 mm)	40"	26.0" (660.4 mm)	43.0" (1092.2 mm)	3-5" (76-127 mm)	3.20" (81.3 mm)	4.4" (113.0 mm)					
LW40UWP	White						2.80" (71.1 mm)				3.2" (81.3 mm)						
LW42UBP	Black						2.55" (64.8 mm)				3.0" (76.2 mm)						
LW42UWP	White						3" (76.2 mm)				3.2" (81.3 mm)						
LW43UBP	Black	100 lbs. (45.3 kg)	300 x 300 mm 400 x 400 mm	3.75" (95.3 mm)	43" (1092.2 mm)	26" (660.4 mm)	43"	28.5" (723.9 mm)	46.5" (1181.1 mm)	3-5" (76-127 mm)	2.75" (69.9 mm)	2.8" (71.1 mm)					
LW43UWP	White						2.5" (63.5 mm)				2.5" (63.5 mm)						
LW46UBP	Black						4.35" (109.2 mm)				6.1" (154.9 mm)						
LW46UWP	White						4.1" (104.1 mm)				5.7" (144.8 mm)						
LW47UBP	Black	125 lbs. (56.7 kg)	300 x 300 mm 400 x 400 mm	3.75" (95.3 mm)	51" (1295.4 mm)	30" (762.0 mm)	47"	32.5" (825.5 mm)	54.5" (1384.3 mm)	3-5" (76-127 mm)	2.85" (72.4 mm)	3.45" (87.6 mm)					
LW47UWP	White						3.7" (94 mm)				5.15" (129.5 mm)						
LW48UBP	Black						2.45" (61 mm)				2.95" (74.9 mm)						
LW48UWP	White						2.5" (63.5 mm)				3.25" (82.6 mm)						
LW49UBP	Black	175 lbs.* (79.4 kg)	300 x 300 mm 400 x 400 mm 600 x 400 mm 600 x 600 mm	3.75" (95.3 mm)	63" (1600.2 mm)	36.5" (927.1 mm)	49"	39" (990.6 mm)	66.5" (1689.1 mm)	3-5" (76-127 mm)	3.7" (94 mm)	5.15" (129.5 mm)					
LW49UWP	White						2.45" (61 mm)				2.95" (74.9 mm)						
LW50UBP	Black						68" (1727.2 mm)				39" (990.6 mm)	75"	41.5" (1054.1 mm)	71.5" (1816.1 mm)	3-5" (76-127 mm)	2.5" (63.5 mm)	3.25" (82.6 mm)
LW50UWP	White																
LW55UBP	Black	175 lbs.* (79.4 kg)	300 x 300 mm 400 x 400 mm 600 x 400 mm 600 x 600 mm	3.75" (95.3 mm)	63" (1600.2 mm)	36.5" (927.1 mm)	50"	39" (990.6 mm)	66.5" (1689.1 mm)	3-5" (76-127 mm)	2.85" (72.4 mm)	3.45" (87.6 mm)					
LW55UWP	White						3.7" (94 mm)				5.15" (129.5 mm)						
LW65UBP	Black						4.65" (118.1 mm)				4.27" (108.3 mm)						
LW65UWP	White						2.45" (62.2 mm)				3.02" (76.6 mm)						
LW70UBP	Black	175 lbs. (79.4 kg)	300 x 300 mm 400 x 400 mm 600 x 400 mm 600 x 600 mm	3.75" (95.3 mm)	63" (1600.2 mm)	36.5" (927.1 mm)	55"	65.5" (1663.7 mm)	40.1" (1019.3 mm)	J = L - K - 1/2"	2.78" (70.6 mm)	3.33" (84.5 mm)					
LW70UWP	White						4.65" (118.1 mm)				4.27" (108.3 mm)						
LW75UBP	Black						2.45" (62.2 mm)				3.02" (76.6 mm)						
LW75UWP	White						2.5" (63.5 mm)				3.06" (77.8 mm)						

LANDSCAPE ON-WALL KIOSKS *For screens with 600mm wide VESA patterns and FHBUL. [WATCH THE VIDEO](#)

Model	Color	Weight Capacity	Mounting Patterns	Max Display Depth	Max TV Width	Max TV Height	Image Diagonal (A)	Overall Width (B)	Overall Height (C)	Overall Depth (D)	Side Bezels (E)	Top/Bottom Bezels (F)
LW40UB	Black	100 lbs (45.3 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.4 (86.4mm)	38.2 (970.3 mm)	23.4 (594.4 mm)	40"	42.0" (1066.8 mm)	27.3" (692.2 mm)	J = L - K - 1/2"	3.95" (100.3 mm)	3.83" (97.2 mm)
LW40UW	White						2.7" (68.6 mm)				3.43" (87 mm)	
LW42UB	Black						2.5" (63.5 mm)				3.18" (80.6 mm)	
LW42UW	White						5.48" (139.1 mm)				4.85" (123.2 mm)	
LW43UB	Black	125 lbs (56.7 kg)	200 x 200 mm 300 x 300 mm 400 x 400 mm	3.4" (86.4mm)	51.75" (1314.5 mm)	32" (762.0 mm)	49"	53.25" (1352.5 mm)	33.5" (850.9 mm)	J = L - K - 1/2"	5.1" (128.9 mm)	4.6" (116.8 mm)
LW43UW	White						2.78" (70.6 mm)				3.33" (84.5 mm)	
LW49UB	Black						4.65" (118.1 mm)				4.27" (108.3 mm)	
LW49UW	White						2.45" (62.2 mm)				3.02" (76.6 mm)	
LW50UB	Black	175 lbs (79.4 kg)	300 x 300 mm 400 x 400 mm 600 x 400 mm 600 x 600 mm	3.4" (86.4mm)	63" (1600.2 mm)	36.5" (927.1 mm)	50"	65.5" (1663.7 mm)	40.1" (1019.3 mm)	J = L - K - 1/2"	2.78" (70.6 mm)	3.33" (84.5 mm)
LW50UW	White						4.65" (118.1 mm)				4.27" (108.3 mm)	
LW55UB	Black						2.45" (62.2 mm)				3.02" (76.6 mm)	
LW55UW	White						2.5" (63.5 mm)				3.06" (77.8 mm)	
LW65UB	Black	175 lbs (79.4 kg)	300 x 300 mm 400 x 400 mm 600 x 400 mm 600 x 600 mm	3.4" (86.4mm)	63" (1600.2 mm)	36.5" (927.1 mm)	55"	70" (1778 mm)	42.6" (1082.7 mm)	J = L - K - 1/2"	2.5" (63.5 mm)	3.06" (77.8 mm)
LW65UW	White						4.65" (118.1 mm)				4.27" (108.3 mm)	
LW70UB	Black						2.45" (62.2 mm)				3.02" (76.6 mm)	
LW70UW	White						2.5" (63.5 mm)				3.06" (77.8 mm)	



SPECIFICATIONS

Orientation: Portrait and Landscape

Exterior Frame Depth Range: 3 - 5" (76 - 127mm)

On-Wall Storage Depth (J): Dependent on depth of display and desired frame depth; see Side of Frame view and below equations for details.


- Overall Kiosk Depth: $D = 1.25" + K$
- On-Wall Storage Depth: $J = D - K - 3/4"$

IMPACT SERIES™

OUTDOOR KIOSK

The new Impact™ Outdoor Kiosk adds another level of flexibility to the digital signage enclosure market. This sleek yet robust design features outdoor rated paint, is wind tested up to 140 mph and has convenient AV device storage that is IP54 rated, providing protection against dust and water.

For more information download the [Chief Outdoor Kiosk Flyer](#).




CHIEF
A brand of **Legrand**

TSI
touch

TSI Touch overlays are sold separately to facilitate touch interactivity. Built-in tamper-proof security protects your investment. Designed to UL 2442 Part 2, suitable for outdoor use standards and TUV listed for peace of mind operation and servicing.

Part Number	Description
TSI49NZZZGA2ZZZ	IR Interactive Kiosk Insert for a 49" Kiosk. Integrated with 10PT IP65 Outdoor Rated IR Technology. Compatible with Chief Impact 49" Outdoor Portrait Kiosk OLF49BP-LG
TSI55NZZZGA2ZZZ	IR Interactive Kiosk Insert for a 55" Kiosk. Integrated with 10PT IP65 Outdoor Rated IR Technology. Compatible with Chief Impact 55" Outdoor Portrait Kiosk OLF55BP-LG/ OLF55BP-S



AC POWER CUTOUTS



CONDUIT KNOCKOUTS



LEVER LOCK™



- Simple and clean aesthetics compliment outdoor environments
- Designed to UL 2442 Part 2 - Suitable for Outdoor Use standards and TUV listed
- Outdoor rated paint and primer
- Wind tested to 140 mph
- IP54 rated AV box provides ample storage space
- ¾" electrical conduit knockouts enable AC power entry through totem legs or bottom of AV storage box
- Tamper proof hardware ensures security in public spaces and protects your investment
- Designed in conformance to display manufacturers thermal outdoor guidelines
- Compatible with TSI Touch Interactive overlays (sold separately)
- Knockouts for popular cellular and Wi-Fi antennas
- 5 year warranty

ACCESSORIES


FLOOR & ON-WALL



RLNK-P415
PDU with RackLink™



FWD-SIDECLMP-4
AV Storage Mounting Clamps



FHBUL
VESA Adapter Bracket Extends
VESA range up to 200 mm


ADDITIONAL FLOOR




DCFANKIT-4
100 CFM Active
Cooling Fan



UCP-FAN
15 CFM Active
Cooling Fan



PACLFB, PACLFW
Single-Sided
Freestanding Base




PACLFB-B2B, PACLFW-B2B
Back-to-Back
Freestanding Base

ADDITIONAL ON-WALL




PAC525, PAC526 & PAC527
In-Wall Storage Boxes

Note: Compatible with Portrait and Landscape On-Wall Kiosks



LL-VP2110
Lever Lock™ 21x10" (533 x 254mm)
On-Wall AV Storage Tray

Note: Only compatible with Portrait On-Wall Kiosk



PACFAN1
Active Thermal Management
Fan Kit Options

Note: Only compatible with Portrait On-Wall Kiosk

LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

INSTALLER INSPIRED | legrandav.com

USA 866.977.3901 av.chief.support@legrand.com CANADA 877.345.4329 av.chief.canada@legrand.com

EMEA +31 495 580 840 av.emea.sales@legrand.com APAC +852 2145 4099 av.asia.sales@legrand.com

©2022 Legrand AV Inc. 220165 Rev E 8/22 Chief is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.